

Table AWM--Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
2Hb: HOBBS-----	100	Somewhat limited Flooding	0.60	Very limited Flooding	1.00	Somewhat limited Flooding	0.60
2Hd: HORD-----	100	Not limited		Not limited		Not limited	
2HdA: HORD-----	100	Not limited		Not limited		Not limited	
2Iz: BOEL-----	100	Very limited Filtering capacity	1.00	Very limited Flooding	1.00	Very limited Filtering capacity	1.00
		Depth to saturated zone	0.95	Filtering capacity	1.00	Depth to saturated zone	0.95
		Flooding	0.60	Depth to saturated zone	0.95	Flooding	0.60
		Leaching limitation	0.45	Droughty	0.04	Droughty	0.04
		Droughty	0.04				
2ThA: BOELUS-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Leaching limitation	0.45				
5ThA: THURMAN-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.12	Droughty	0.12
		Droughty	0.12				
Be: BELFORE-----	100	Somewhat limited Restricted permeability	0.30	Somewhat limited Restricted permeability	0.22	Somewhat limited Restricted permeability	0.22
BO: PSAMMENTS-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Too steep for surface application	1.00
		Droughty	0.65	Droughty	0.65	Filtering capacity	1.00
		Leaching limitation	0.45	Slope	0.16	Droughty	0.65

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.16	Too acid	0.07	Too steep for sprinkler application	0.40
		Too acid	0.02			Too acid	0.07
CfD2: CROFTON-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	0.78
CfE2: CROFTON-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
CNC2: CROFTON-----	60	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	0.40
NORA VARIANT-----	40	Somewhat limited Restricted permeability	0.30	Somewhat limited Restricted permeability	0.22	Very limited Too steep for surface application	1.00
		Slope	0.04	Slope	0.04	Too steep for sprinkler application	0.22
						Restricted permeability	0.22
CND2: CROFTON-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
NORA-----	40	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Too steep for surface application	1.00
		Restricted permeability	0.41	Restricted permeability	0.31	Too steep for sprinkler application	0.98

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.31
CNE: CROFTON-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
NORA-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Restricted permeability	0.41	Restricted permeability	0.31	Too steep for sprinkler application	1.00
						Restricted permeability	0.31
Cz: CASS-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
Ea: ELSMERE-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Depth to saturated zone	0.95	Depth to saturated zone	0.95	Depth to saturated zone	0.95
		Droughty	0.48	Droughty	0.48	Droughty	0.48
		Leaching limitation	0.45				
Eb: ELSMERE-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Depth to saturated zone	0.95	Depth to saturated zone	0.95	Depth to saturated zone	0.95
		Droughty	0.72	Droughty	0.72	Droughty	0.72
		Leaching limitation	0.45				
Fm: FILLMORE-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Runoff limitation	0.40	Too acid	0.42	Too acid	0.42
		Too acid	0.11				
Ga: GANNETT-----	100	Very limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Filtering	1.00	Filtering	1.00	Filtering	1.00
		capacity		capacity		capacity	
		Runoff limitation	0.40				
GP:							
Pits-----	100	Not Rated		Not Rated		Not Rated	
Ha:							
HALL-----	100	Somewhat limited		Somewhat limited		Somewhat limited	
		Restricted	0.41	Restricted	0.31	Restricted	0.31
		permeability		permeability		permeability	
HaA:							
HALL-----	100	Somewhat limited		Somewhat limited		Somewhat limited	
		Restricted	0.41	Restricted	0.31	Restricted	0.31
		permeability		permeability		permeability	
Hb:							
SHELL-----	100	Not limited		Not limited		Not limited	
Hd:							
HORD-----	100	Not limited		Not limited		Not limited	
HdA:							
HORD-----	100	Not limited		Not limited		Not limited	
HdB:							
HORD-----	100	Not limited		Not limited		Somewhat limited	
						Too steep for	0.32
						surface	
						application	
HO:							
HORD-----	70	Somewhat limited		Somewhat limited		Somewhat limited	
		Filtering	0.01	Filtering	0.01	Filtering	0.01
		capacity		capacity		capacity	
ORTELO-----	30	Somewhat limited		Somewhat limited		Somewhat limited	
		Too acid	0.03	Too acid	0.14	Too acid	0.14
		Filtering	0.01	Filtering	0.01	Filtering	0.01
		capacity		capacity		capacity	
HSzA:							
HALL-----	70	Somewhat limited		Somewhat limited		Somewhat limited	
		Restricted	0.41	Restricted	0.31	Restricted	0.31
		permeability		permeability		permeability	
GAYVILLE-----	30	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Salinity	0.50	Sodium content	0.08	Sodium content	0.08
		Runoff limitation	0.40				
		Sodium content	0.08				

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
INT: Aquolls-----	100	Not Rated		Not Rated		Not Rated	
Iz: INAVALE-----	100	Very limited Filtering capacity Leaching limitation Droughty	1.00 0.45 0.21	Very limited Filtering capacity Droughty	1.00 0.21	Very limited Filtering capacity Droughty	1.00 0.21
Lb: LAMO-----	100	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 0.60 0.41	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.31	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 0.60 0.31
Le: LESHARA-----	100	Very limited Depth to saturated zone Flooding	1.00 0.60	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Lh: CROFTON-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application Too steep for sprinkler application	1.00 1.00
LlB2: LORETTTO-----	100	Somewhat limited Too acid	0.11	Somewhat limited Too acid	0.42	Somewhat limited Too acid Too steep for surface application	0.42 0.32
Lm: LOUP-----	100	Very limited Ponding Depth to saturated zone Filtering capacity Flooding Runoff limitation	1.00 1.00 1.00 0.60 0.40	Very limited Ponding Depth to saturated zone Flooding Filtering capacity Droughty	1.00 1.00 1.00 1.00 0.03	Very limited Ponding Depth to saturated zone Filtering capacity Flooding Droughty	1.00 1.00 1.00 0.60 0.03
LNC2: LORETTTO-----	60	Somewhat limited Slope	0.16	Somewhat limited Too acid	0.42	Very limited Too steep for surface application	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too acid	0.11	Slope	0.16	Too acid	0.42
		Filtering capacity	0.01	Filtering capacity	0.01	Too steep for sprinkler application	0.40
						Filtering capacity	0.01
NORA-----	40	Somewhat limited Slope	0.16	Somewhat limited Too acid	0.42	Very limited Too steep for surface application	1.00
		Too acid	0.11	Slope	0.16	Too acid	0.42
		Filtering capacity	0.01	Filtering capacity	0.01	Too steep for sprinkler application	0.40
						Filtering capacity	0.01
LvA2: LORETTO-----	100	Somewhat limited Too acid	0.11	Somewhat limited Too acid	0.42	Somewhat limited Too acid	0.42
		Filtering capacity	0.01	Filtering capacity	0.01	Filtering capacity	0.01
LvB2: LORETTO-----	100	Somewhat limited Too acid	0.11	Somewhat limited Too acid	0.42	Somewhat limited Too acid	0.42
		Filtering capacity	0.01	Filtering capacity	0.01	Too steep for surface application	0.32
						Filtering capacity	0.01
M-W: Miscellaneous water-	100	Not Rated		Not Rated		Not Rated	
MA: FLUVAQUENTS-----	100	Very limited Ponding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Runoff limitation	0.40				
MoA: MOODY-----	100	Somewhat limited Restricted permeability	0.30	Somewhat limited Restricted permeability	0.22	Somewhat limited Restricted permeability	0.22
MoA2: MOODY-----	100	Somewhat limited Restricted permeability	0.30	Somewhat limited Restricted permeability	0.22	Somewhat limited Restricted permeability	0.22
MoB2: MOODY-----	100	Somewhat limited Restricted permeability	0.30	Somewhat limited Restricted permeability	0.22	Somewhat limited Too steep for surface application	0.32

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.22
NCD: NORA-----	65	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
CROFTON-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
NMB2: NORA-----	65	Not limited		Not limited		Somewhat limited Too steep for surface application	0.32
MOODY-----	35	Somewhat limited Restricted permeability	0.30	Somewhat limited Restricted permeability	0.22	Somewhat limited Too steep for surface application	0.32
						Restricted permeability	0.22
NoC: NORA-----	100	Not limited		Not limited		Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	0.10
NoC2: NORA VARIANT-----	100	Somewhat limited Restricted permeability	0.30	Somewhat limited Restricted permeability	0.22	Very limited Too steep for surface application	1.00
		Slope	0.04	Slope	0.04	Too steep for sprinkler application	0.22
						Restricted permeability	0.22
Sx: INAVALE-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Filtering capacity	1.00	Filtering capacity	1.00	Filtering capacity	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Leaching limitation	0.45				
Sy: HOBBS-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
ThA: THURMAN-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.17	Droughty	0.17
		Droughty	0.17				
ThB: THURMAN-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.17	Too steep for surface application	0.32
		Droughty	0.17			Droughty	0.17
ThC: THURMAN-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Too steep for surface application	1.00
		Leaching limitation	0.45	Droughty	0.18	Filtering capacity	1.00
		Droughty	0.18	Slope	0.16	Too steep for sprinkler application	0.40
		Slope	0.16			Droughty	0.18
TV: THURMAN-----	70	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.40	Droughty	0.40
		Droughty	0.40				
VALENTINE-----	30	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Droughty	0.84	Droughty	0.84	Droughty	0.84
		Leaching limitation	0.45				
VaC: VALENTINE-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Filtering capacity	1.00	Filtering capacity	1.00	Too steep for sprinkler application	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Vb: VALENTINE-----	100	Droughty	0.84	Droughty	0.84	Filtering capacity	1.00
		Leaching limitation	0.45			Droughty	0.84
		Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Too steep for surface application	1.00
		Droughty	0.78	Droughty	0.78	Filtering capacity	1.00
		Leaching limitation	0.45	Slope	0.16	Droughty	0.78
		Slope	0.16			Too steep for sprinkler application	0.40
W: WATER-----	100	Not Rated		Not Rated		Not Rated	
Wm: WANN-----	100	Somewhat limited Depth to saturated zone	0.84	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.84
		Flooding	0.60	Depth to saturated zone	0.84	Flooding	0.60
		Sodium content	0.08	Sodium content	0.08	Sodium content	0.08
		Filtering capacity	0.01	Filtering capacity	0.01	Filtering capacity	0.01
Wx: BARNEY-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to dense layer	1.00	Filtering capacity	1.00	Filtering capacity	1.00
		Filtering capacity	1.00	Restricted permeability	0.22	Restricted permeability	0.22
		Runoff limitation	0.40	Droughty	0.01	Droughty	0.01

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
2Hb: HOBBS-----	100	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Somewhat limited Flooding	0.60
		Seepage	1.00	Flooding	0.60		
		Too level	0.50				
2Hd: HORD-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Not limited	
		Too level	0.50				
2HdA: HORD-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Not limited	
2Iz: BOEL-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Seepage	1.00	Flooding	0.60	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Restricted permeability	0.32	Flooding	0.60
2ThA: BOELUS-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
5ThA: THURMAN-----	100	Very limited Seepage	1.00	Not limited		Very limited Filtering capacity	1.00
Be: BELFORE-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.15
		Too level	0.50				
BO: PSAMMENTS-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	0.78			Filtering capacity	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too acid	0.07			Too steep for sprinkler application	0.78
						Too acid	0.07
CfD2: CROFTON-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Slope	1.00	Too steep for sprinkler application	1.00
CfE2: CROFTON-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
CNC2: CROFTON-----	60	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	0.78	Slope	1.00	Too steep for sprinkler application	0.78
NORA VARIANT-----	40	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	0.50	Slope	1.00	Too steep for sprinkler application	0.50
						Restricted permeability	0.15
CND2: CROFTON-----	60	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
NORA-----	40	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.21
CNE: CROFTON-----	60	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
NORA-----	40	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
						Restricted permeability	0.21
Cz: CASS-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too level	0.50				
Ea: ELSMERE-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Depth to saturated zone	0.95			Depth to saturated zone	0.95
Eb: ELSMERE-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Depth to saturated zone	0.95			Depth to saturated zone	0.95
Fm: FILLMORE-----	100	Very limited Seepage	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too level	0.50			Too acid	0.42
		Too acid	0.42				
Ga: GANNETT-----	100	Very limited Seepage	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	0.32	Filtering capacity	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too level	0.50				
GP: Pits-----	100	Not Rated		Not Rated		Not Rated	
Ha: HALL-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.21
		Too level	0.50				
HaA: HALL-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.21
Hb: SHELL-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Not limited	
		Too level	0.50				
Hd: HORD-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Not limited	
		Too level	0.50				
HdA: HORD-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Not limited	
HdB: HORD-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too steep for surface application	0.32
				Slope	0.12		
HO: HORD-----	70	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Filtering capacity	0.01
ORTELO-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.14
		Too acid	0.14			Filtering capacity	0.01
HSzA: HALL-----	70	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.21
GAYVILLE-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Sodium content	0.08			Sodium content	0.08
INT: Aquolls-----	100	Not Rated		Not Rated		Not Rated	
Iz: INVALE-----	100	Very limited Seepage	1.00	Not limited		Very limited Filtering capacity	1.00
Lb: LAMO-----	100	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	0.60
		Seepage	0.69	Flooding	0.60	Restricted permeability	0.21
		Too level	0.50				
Le: LESHARA-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Flooding	0.60
		Depth to saturated zone	1.00	Flooding	0.60		
		Too level	0.50				
Lh: CROFTON-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
LlB2: LORETTO-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.42
		Too acid	0.42	Slope	0.12	Too steep for surface application	0.32
Lm: LOUP-----	100	Very limited Flooding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Restricted permeability	1.00	Filtering capacity	1.00
		Depth to saturated zone	1.00	Flooding	0.60	Flooding	0.60

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LNC2: LORETTO-----	60	Too level	0.50				
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	0.78	Restricted permeability	0.62	Too steep for sprinkler application	0.78
		Too acid	0.42			Too acid	0.42
						Filtering capacity	0.01
NORA-----	40	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	0.78	Restricted permeability	0.62	Too steep for sprinkler application	0.78
		Too acid	0.42			Too acid	0.42
						Filtering capacity	0.01
LvA2: LORETTO-----	100	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.62	Somewhat limited Too acid	0.42
		Too acid	0.42			Filtering capacity	0.01
LvB2: LORETTO-----	100	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.62	Somewhat limited Too acid	0.42
		Too acid	0.42	Slope	0.12	Too steep for surface application	0.32
						Filtering capacity	0.01
M-W: Miscellaneous water-	100	Not Rated		Not Rated		Not Rated	
MA: FLUVAQUENTS-----	100	Very limited Flooding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Seepage	1.00	Restricted permeability	0.68		
		Too level	0.50				
MoA: MOODY-----	100	Somewhat limited		Very limited		Somewhat limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	0.77	Restricted permeability	1.00	Restricted permeability	0.15
MoA2: MOODY-----	100	Somewhat limited Seepage	0.77	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.15
MoB2: MOODY-----	100	Somewhat limited Seepage	0.77	Very limited Restricted permeability	1.00	Somewhat limited Too steep for surface application	0.32
				Slope	0.12	Restricted permeability	0.15
NCD: NORA-----	65	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
CROFTON-----	35	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
NMB2: NORA-----	65	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too steep for surface application	0.32
				Slope	0.12		
MOODY-----	35	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too steep for surface application	0.32
				Slope	0.12	Restricted permeability	0.15
NoC: NORA-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	0.22	Slope	1.00	Too steep for sprinkler application	0.22
NoC2: NORA VARIANT-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.50	Slope	1.00	Too steep for sprinkler application	0.50
						Restricted permeability	0.15
Sx: INVALE-----	100	Very limited Flooding Seepage	1.00 1.00	Very limited Flooding	1.00	Very limited Flooding Filtering capacity	1.00 1.00
Sy: HOBBS-----	100	Very limited Flooding Seepage	1.00 1.00	Very limited Flooding Restricted permeability	1.00 1.00	Very limited Flooding	1.00
ThA: THURMAN-----	100	Very limited Seepage	1.00	Not limited		Very limited Filtering capacity	1.00
ThB: THURMAN-----	100	Very limited Seepage	1.00	Somewhat limited Slope	0.12	Very limited Filtering capacity Too steep for surface application	1.00 0.32
ThC: THURMAN-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application Filtering capacity	1.00 1.00
		Too steep for surface application	0.78			Too steep for sprinkler application	0.78
TV: THURMAN-----	70	Very limited Seepage	1.00	Not limited		Very limited Filtering capacity	1.00
VALENTINE-----	30	Very limited Seepage	1.00	Not limited		Very limited Filtering capacity	1.00
VaC: VALENTINE-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Vb: VALENTINE-----	100	Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
						Filtering capacity	1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	0.78			Filtering capacity	1.00
						Too steep for sprinkler application	0.78
W: WATER-----	100	Not Rated		Not Rated		Not Rated	
Wm: WANN-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.84
		Seepage	1.00	Restricted permeability	1.00	Flooding	0.60
		Depth to saturated zone	0.84	Flooding	0.60	Sodium content	0.08
		Too level	0.50			Filtering capacity	0.01
		Sodium content	0.08				
Wx: BARNEY-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	1.00
		Seepage	0.77	Depth to saturated zone	1.00	Filtering capacity	1.00
		Too level	0.50			Restricted permeability	0.15